UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/510,290	03/11/2005	Herbert Wehler	10016.512 1625	
39231 SMITH LAW	7590 09/05/2007 OFFICE		EXAMINER	
440 SCIENCE			BONK, TERESA	
	SUITE 302 MADISON, WI 53711		ART UNIT	PAPER NUMBER
	•		3725	·
			MAIL DATE	DELIVERY MODE
			09/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application No.	Applicant(s)				
		10/510,290	WEHLER ET AL.				
		Examiner	Art Unit				
		Teresa M. Bonk	3725				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address				
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE is not so time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It is period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on 27 Ju	ıly 2007.					
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.						
3) 🗌	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
4) Claim(s) <u>2-25</u> is/are pending in the application. 4a) Of the above claim(s) <u>3,4,6-12 and 15-24</u> is/are withdrawn from consideration. 5) Claim(s) is/are allowed.							
•	5)						
	7) ☐ Claim(s) is/are objected to.						
8)	8) Claim(s) are subject to restriction and/or election requirement.						
Applicati	ion Papers						
9)🖂	The specification is objected to by the Examine	e r .					
10)⊠ The drawing(s) filed on <u>06 October 2004</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.							
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	- · · · · ·					
Priority (ınder 35 U.S.C. § 119						
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachmen		4) 🗀 Intonian Guarres	(PTO 413)				
2) Notice 3) Information	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date 10/6/04.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate				

Application/Control Number: 10/510,290 Page 2

Art Unit: 3725

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the pretensioner and the pretensioner comprising at least one protrusion and support sections with trapezoidal cross-section must be shown or the features canceled from the claims. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/510,290 Page 3

Art Unit: 3725

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 5, 13-14, and 25 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The pretensioner was not properly described in the specification (amendment to the specification at paragraph 5, lines 3). One skilled in the art would not know what the pretensioner element is within the surrounding elements and limitations of independent claim 25.

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 13-14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. There is insufficient antecedent basis for "the support sections" and "the link sections" in the claims 13 and 14, respectively.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 3725

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 5, 13, and 25 are rejected under 35 U.S.C. 102(b) as being anticipated by Viano (US Patent 3,772,875), as best understood. Viano discloses a line guidance unit for guiding lines, the line guidance unit having a loaded and unloaded extended condition comprising a first fixed end, a second moveable end, a plurality of segments, a support strip (60/62) joining the segments, the segments defining a line channel; and a pretensioner, comprising at least one protrusion (2), joined to the segments. The support/link sections are trapezoidal in cross-section, Column 4, lines 16-20.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Viano. Viano discloses the invention substantially as claimed except for the particular rhomboidal cross-section. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the particularly claimed rhomboidal cross-section since it has been held to be within the general skill of a worker in the art to select a known shape on the basis of its suitability for the intended use as a matter of mechanical efficiency and because Applicant has

Application/Control Number: 10/510,290 Page 5

Art Unit: 3725

not discloses that the rhomboidal shape provides an advantage, is used for a particular purpose, or solves a stated problem.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Teresa M. Bonk whose telephone number is (571) 272-1901. The examiner can normally be reached on M-F 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Banks Derris can be reached on (571) 272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner

Art Unit 3725

SPE, ART UNIT 3725 TECHNOLOGY CENTER 3700